

TOUGH
SMART
UNIQUE

PNEU TOOLS

PRODUCT CATALOG

PNEU?



IT'S SIMPLE,
PNEUMATIC TOOLS ARE OUR SPECIALTY...
NEW IDEAS ARE OUR DRIVE.

- OUR TOOLS PACK A PUNCH & TAKE A BEATING. TOUGH.
- WE TAKE CONVENTIONAL TOOLS & MAKE THEM EXCEPTIONAL. SMART.
- WE REJECT STATUS QUO AND FORGE NEW WAYS. UNIQUE.

INTRODUCTION TO

PNEUTOOLS

PNEUTOOLS, INC. WAS FOUNDED IN 1999 WITH THE INVENTION OF THE FIRST PNEUMATIC CAP STAPLE GUN. SINCE THEN WE HAVE CONTINUED TO INNOVATE WITH NEW IDEAS AND BETTER WAYS TO MAKE YOUR JOB EASIER. TODAY, PNEUTOOLS HAS A PORTFOLIO OF OVER 100 HIGH QUALITY TOOLS AND CERTAINLY NO INTENTION OF STOPPING THERE.

SO, I GUESS YOU HAVE TO ASK YOURSELF ONE QUESTION:
WHAT WILL WE COME UP WITH NEXT?

	1999		2000		2003		2006		2007		2010		2012
Introduced first cap stapler		Introduced first collated palm nailer		Introduced laser welded cap tool		Introduced first compact single blow metal connector tool		Introduced mini-palm nailer		Introduced tool-free adjustment flooring tool		Introduced Pneumatic hook blade tool	

CONTENTS

FRAMING

Strip Framers.....	03
Coil Framers.....	05
Palm Nailers.....	06
Metal Connectors.....	07

ROOFING

Coil Roofers.....	11
Cap Tools.....	11
Cutting Tools.....	11
Auto Tackers	12

SIDING

Coil Nailers.....	15
-------------------	----

FLOORING

Hardwood Tools.....	19
Laminate Tools	20

FINISHING

Brad Nailers.....	23
Finish Nailers.....	23
Staplers.....	24
Headless Pinners.....	24

CONTENTS

PALLET/CRATING

Coil Nailers.....	29
Strip Nailers.....	31
Staplers.....	32

INDUSTRIAL MANUFACTURING

Headless Pinners.....	35
Upholstery Staplers.....	36
Industrial Staplers.....	38
Mini Coil Nailers	40
Specialty Fasteners	40

FASTENERS

Positive Placement Nails	42
Caps And Staples.....	42

CONSTRUCTION
FRAMING

WWW.PNEUTOOLS.NET



PRODUCT HIGHLIGHT: STRIP FRAMERS



SN2283H

22° Plastic Collated Framing Gun

Length2" - 3 1/2"
Shank Diameter113 - .131
Magazine Capacity	64
Weight	7.9
Dimensions (LWH)	20.6" x 4.25" x 13.3"

Benefits

- Single mode trigger for simple operation
- One piece safety mechanism for optimized speed and durability
- Hardened end cap for improved durability
- Utilizes economical, full round head, 22° Collation type



STRIP FRAMERS

SN2283H

FEATURED

22° Plastic Collated Framing Gun

Length2" - 3 1/2"
Shank Diameter113 - .131
Magazine Capacity	64
Weight	7.9
Dimensions (LWH)	20.6" x 4.25" x 13.3"



Benefits

- Single mode trigger for simple operation
- One piece safety mechanism for optimized speed and durability
- Hardened end cap for improved durability
- Utilizes economical, full round head, 22° Collation type

SN2290

22° Plastic Collated Framing Gun

Length2" - 3 1/2"
Shank Diameter113 - .131
Magazine Capacity	64
Weight	81 lbs.
Dimensions (LWH)	21.25" x 4.9" x 13.1"



Benefits

- Optimal control through selectable trigger: sequential or bump
- Ambidextrous 360° rotational exhaust
- Adjust drive depth for different applications and materials
- No mar tip

SN2290B

22° Plastic Collated Framing Gun

Length2" - 3 1/2"
Shank Diameter113 - .162
Magazine Capacity	64
Weight	81 lbs.
Dimensions (LWH)	21.25" x 4.9" x 13.1"



Benefits

- Ideal for high power applications due to increased air volume
- Optimal control through selectable trigger: sequential or bump
- Greater fastener flexibility with an adjustable magazine
- Ambidextrous 360° rotational exhaust
- Aggressive toe nailing bracket w/ no mar tip attachment
- Adjustable drive depth for different applications and materials

SN3483H

34° Paper Collated Framing Gun

Length2" - 3 1/2"
Shank Diameter113 - .131
Magazine Capacity	84
Weight	7.9 lbs.
Dimensions (LWH)	17.4" x 4.25" x 13.3"



Benefits

- Single mode trigger for simple operation
- One piece safety mechanism for optimized speed and durability
- Hardened end cap for improved durability

SN3490

34° Paper Collated Framing Gun

Length2" - 3 1/2"
Shank Diameter113 - .131
Magazine Capacity	90
Weight	7.7 lbs.
Dimensions (LWH)	18.89" x 4.9" x 13.3"



Benefits

- Optimal control through selectable trigger: sequential or bump
- High Capacity Magazine
- Ambidextrous 360° rotational exhaust
- Aggressive toe nailing bracket w/ no mar tip attachment
- Adjustable drive depth for different applications and materials

SN2890

28° Wire Welded Framing Gun

Length2" - 3 1/2"
Shank Diameter113 - .131
Magazine Capacity	64
Weight	81 lbs.
Dimensions (LWH)	21.25" x 4.9" x 13.1"



Benefits

- Optimal control through selectable trigger: sequential or bump
- High Capacity Magazine
- Ambidextrous 360° rotational exhaust
- Aggressive toe nailing bracket w/ no mar tip attachment
- Adjustable drive depth for different applications and materials

COIL FRAMERS



CN75

15° Wire and Plastic Coil Nailer

Length 1 $\frac{3}{4}$ " - 3"
Shank Diameter090 - .131
Magazine Capacity 200 - 300
Weight 6.4 lbs.
Dimensions (LWH) 12.2" x 5.2" 12.4"

Benefits

- Ideal for sub-floor and high nail consumption applications
- Optimal control through selectable trigger: sequential or bump
- Extra lightweight Magnesium housing
- Ambidextrous 360° rotational exhaust
- Aggressive toe nailing bracket w/ no mar tip attachment
- Adjustable drive depth for different applications and materials

CN90F

15° Wire Coil Nailer

Length 1 $\frac{3}{4}$ " - 3 $\frac{1}{2}$ "
Shank Diameter099 - .148
Magazine Capacity 150 - 300
Weight 6.7 lbs.
Dimensions (LWH) 15.2" x 5.6" x 14.5"

Benefits

- Greater air capacity to accomodate larger fasteners
- Optimal control through selectable trigger: sequential or bump
- Ambidextrous 360° rotational exhaust
- Aggressive toe nailing bracket w/ no mar tip attachment
- Adjustable drive depth for different applications and materials

PALM NAILERS

MPN-R

Mini Roofing Palm Nailer

Length Any Length
Shank Diameter490 Heads
Magazine Capacity 1
Weight 1.1 lbs.
Dimensions (LWH) 2.71" x 2.2" x 14.05"

Benefits

- Ideal for vinyl siding, windows, or roofing in tight spaces
- Drives roofing nails of any length with heads up to .49 in.
- Metal front exhaust and solid steel sleeve for better durability and driving power
- Ultra compact size



MPN1

Mini Palm Nailer

Length Any Length
Shank Diameter344 Heads
Magazine Capacity 1
Weight 1.1 lbs.
Dimensions (LWH) 2.71" x 2.2" x 14.05"



Benefits

- Ideal for joist hanging, blocking, or any other tight space
- Drives nails of any length with heads up to .344 in.
- Metal front exhaust and solid steel sleeve for better durability and driving power
- Ultra compact size

PN1

Palm Nailer

Length 1 $\frac{1}{4}$ " - 7"
Shank Diameter6 Heads
Magazine Capacity 1
Weight 2.6 lbs.
Dimensions (LWH) 5.19" x 3.26" x 4.88"



Benefits

- Metal front exhaust and solid steel sleeve for better durability and driving power
- Built in magnetic nail holder

PN1-KIT

Palm Nailer Kit

Length 1 $\frac{1}{4}$ " - 7"
Shank Diameter6 Heads
Magazine Capacity 1
Weight 2.6 lbs.
Dimensions (LWH) 5.19" x 3.26" x 4.88"



Benefits

- Interchangeable tips for various work applications: Framing, roofing, finish and hammer head
- Metal front exhaust and solid steel sleeve for better durability and driving power
- Built in magnetic nail holder

PRODUCT HIGHLIGHT: METAL CONNECTORS



RN150

34° Paper Collated Palm Joist Hanger Tool

Length	1 1/2"
Shank Diameter	.131 - .148
Magazine Capacity	25
Weight	3.9
Dimensions (LWH)	11.5" x 4.9" x 9.4"

Benefits

- Accurate nail placement with easy view nail tip
- Simple, rugged design is economic and easy to maintain
- Convenient belt hook
- Metal front exhaust and solid steel sleeve for better durability and driving power

MC150

34° Paper Collated Single Shot Joist Hanger Tool

Length	1 1/2"
Shank Diameter	.131 - .148
Magazine Capacity	30
Weight	5 lbs.
Dimensions (LWH)	12.8" x 4.7" x 10.5"

Benefits

- Reverse safety enables accurate nail placement without the use of small fragile parts
- Sequential Fire Trigger
- 360° rotational exhaust
- Lightweight and ergonomic aluminum housing design
- High capacity two step easy load magazine

METAL CONNECTORS

RN150

34° Paper Collated Palm Joist Hanger Tool

Length	1 1/2"
Shank Diameter	.131 - .148
Magazine Capacity	25
Weight	3.9
Dimensions (LWH)	11.5" x 4.9" x 9.4"

FEATURED



Benefits

- Accurate nail placement with easy view nail tip
- Simple, rugged design is economic and easy to maintain
- Convenient belt hook
- Metal front exhaust and solid steel sleeve for better durability and driving power

RN250

34° Paper Collated Palm Joist Hanger Tool

Length	1 1/2" - 2 1/2"
Shank Diameter	.131 - .148
Magazine Capacity	25
Weight	5.7 lbs.
Dimensions (LWH)	12" x 4.7" x 14"



Benefits

- Larger magazine accommodates nails up to 2 1/2"
- Accurate nail placement with easy view nail tip
- Simple, rugged design is economic and easy to maintain
- Metal front exhaust and solid steel sleeve for better durability and driving power

RN500

22° Plastic Collated Palm Spike Tool

Length	2 3/8" - 5 1/8"
Shank Diameter	.131 - .162
Magazine Capacity	25
Weight	8 lbs.
Dimensions (LWH)	15.5" x 4.7" x 17"



Benefits

- Extra large magazine accommodates spikes up to 5 1/8"
- Accurate nail placement with easy view nail tip
- Simple, rugged design is economic and easy to maintain
- Metal front exhaust and solid steel sleeve for better durability and driving power

MC150

34° Paper Collated Single Shot Joist Hanger Tool

Length	1 1/2"
Shank Diameter	.131 - .148
Magazine Capacity	30
Weight	5 lbs.
Dimensions (LWH)	12.8" x 4.7" x 10.5"

FEATURED



Benefits

- Reverse safety enables accurate nail placement without the use of small fragile parts
- Sequential Fire Trigger
- 360° rotational exhaust
- Lightweight and ergonomic aluminum housing design
- High capacity two step easy load magazine

RNS150-II

34° Paper Collated Single Shot Joist Hanger Tool

Length	1 1/2"
Shank Diameter	.131 - .162
Magazine Capacity	30
Weight	5 lbs.
Dimensions (LWH)	12.8" x 4.7" x 10.6"



Benefits

- Easy view nail tip enables accurate nail placement
- Sequential Fire Trigger
- 360° rotational exhaust
- Lightweight and ergonomic aluminum housing design
- High capacity two step easy load magazine

RNS250

34° Paper Collated Single Shot Joist Hanger Tool

Length	1 1/2" - 2 1/2"
Shank Diameter	.131 - .162
Magazine Capacity	30
Weight	5.7 lbs.
Dimensions (LWH)	13" x 4.7" x 14"




Benefits

- Easy view nail tip enables accurate nail placement
- Sequential Fire Trigger
- 360° rotational exhaust
- Lightweight and ergonomic aluminum housing design
- High capacity two step easy load magazine



CONSTRUCTION
ROOFING

WWW.PNEUTOOLS.NET



COIL ROOFERS

CN45R

15° Wire Roofing Coil Nailer

Length5/8" - 1 3/4"
Shank Diameter12
Magazine Capacity	120
Weight	4.8 lbs.
Dimensions (LWH)	11.61" x 4.53" x 10.83"



Benefits

- Optimal control with selectable trigger: sequential or bump
- Easy Load Magazine
- Ambidextrous 360° rotational exhaust
- Added durability due to high wear carbide work contacting element
- Adjustable depth of drive
- Shoots fasteners down to 5/8" due to specialized bird nose that ensure straight nail placement

CAP TOOLS

RC58-II

5/8" Plastic Cap Staple Gun

Staple Length5/8"
Gauge	20 Ga.
Crown	F.or 80 Series
Magazine Capacity	110
Weight	4.1bs.
Dimensions (LWH)	12.56" x 4.8" x 8.66"



Benefits

- Reduces user fatigue with balanced aluminum housing and in-line cap magazine
- Ambidextrous 360° rotational exhaust
- Quick clear cap window
- Simple and quick re-load with laser welded caps

RC150-II

11/2" Plastic Cap Staple Gun

Staple Length	1-1 1/2"
Gauge18 Ga.
Crown	M.Series
Magazine Capacity	110
Weight	5.1 lbs.
Dimensions (LWH)	15" x 1.6" x 6.4"



Benefits

- Reduces user fatigue with balanced aluminum housing and in-line cap magazine
- Ambidextrous 360° rotational exhaust
- Quick clear cap window
- Simple and quick re-load with laser welded caps

CUTTING TOOLS

HB150

Pneumatic Hook Blade/Jig Saw

Weight	1 lb.
Dimensions (LWH)	10.5" x 1.75" x 2"
Blades Available	Hook Blades (HB3) & Saw Blades (SB3)



Benefits

- Replaceable hook and jig saw blades
- Manual trigger safety
- 360° rotational exhaust
- Easy cutting with approximately 10,000 strokes per minute

AUTO-TACKERS

US1116LMA

A11/T50 Series Automatic Stapler

Staple Length	1/4" - 9/16"
Gauge	20 Ga.
Crown	A11 / T50
Magazine Capacity	230
Weight	3 lbs.
Dimensions (LWH)	15" x 1.6" x 6.4"



Benefits

- Durable heavy duty steel cap
- Adjustable speed control
- Balanced ergonomic design
- High capacity magazine

US7116LMA

71 Series Automatic Stapler

Staple Length	5/32" - 9/16"
Gauge22 Ga.
Crown71 Series Staples
Magazine Capacity	230
Weight	3.1bs.
Dimensions (LWH)	15" x 1.6" x 6.4"



Benefits

- Durable heavy duty steel cap
- Adjustable speed control
- Balanced ergonomic design
- High capacity magazine

US5016LMA

5000 Series Automatic Stapler

Staple Length	1/4" - 9/16"
Gauge19 Ga.
Crown	5000 Series
Magazine Capacity	230
Weight	3.1bs.
Dimensions (LWH)	15" x 1.6" x 6.4"



Benefits

- Durable heavy duty steel cap
- Adjustable speed control
- Balanced ergonomic design
- High capacity magazine

US8016LMA


80 Series Automatic Stapler

Staple Length	1/4" - 9/16"
Gauge20 Ga.
Crown	F.or 80 Series
Magazine Capacity	204
Weight	3.1bs.
Dimensions (LWH)	15" x 1.6" x 6.4"



Benefits


- Durable heavy duty steel cap
- Adjustable speed control
- Balanced ergonomic design
- High capacity magazine



CONSTRUCTION
SIDING

The background of the left panel features a dark, heavily textured surface with prominent diagonal grain patterns, giving it a wood-like appearance. The word "CONSTRUCTION" is printed in a small, light blue sans-serif font at the top. Below it, the word "SIDING" is printed in a large, bold, white sans-serif font with a slight shadow effect.

WWW.PNEUTOOLS.NET



PRODUCT HIGHLIGHT: COIL NAILERS



CN65SP

15° Wire and Plastic Siding Coil Nailer

Length	1 1/4" - 2 1/2"
Shank Diameter083 - .113
Magazine Capacity	200 - 400
Weight	4.6 lbs.
Dimensions (LWH)	10.5" x 5" x 12"

Benefits

- More drive power due to increased air volume
- Optimal control with Selectable trigger: sequential or bump
- Convenient Belt Hook
- Ambidextrous 360° rotational exhaust
- No mar work contact and drive depth adjustment



COIL NAILERS

CN65Z

0° Plastic Collated Siding Coil Nailer

Length	1 1/4" - 2 1/2"
Shank Diameter080 - .109
Magazine Capacity	300
Weight	5 lbs.
Dimensions (LWH)	11.8" x 5.75" x 12.6"

Benefits

- Optimal control with Selectable trigger: sequential or bump
- Multi-directional exhaust
- No mar work contact adjustment
- Adjustable depth drive
- Ergonomic and durable magnesium housing



CN65S

15° Wire and Plastic Siding Coil Nailer

Length	1 1/4" - 2 1/2"
Shank Diameter083 - .113
Magazine Capacity	200 - 400
Weight	4.4 lbs.
Dimensions (LWH)	10.5" x 5.2" x 12.4"



Benefits

- Optimal control with Selectable trigger: sequential or bump
- Minimize risk of dry fire damage to materials with see-through magazine
- Ambidextrous 360° rotational exhaust
- No mar work contact and drive depth adjustment

FEATURED

CN65SP

15° Wire and Plastic Siding Coil Nailer

Length	1 1/4" - 2 1/2"
Shank Diameter083 - .113
Magazine Capacity	200 - 400
Weight	4.6 lbs.
Dimensions (LWH)	10.5" x 5" x 12"



Benefits

- More drive power due to increased air volume
- Optimal control with Selectable trigger: sequential or bump
- Convenient Belt Hook
- Ambidextrous 360° rotational exhaust
- No mar work contact and drive depth adjustment

CN65S-3


15° Wire and Plastic Siding Coil Nailer

Length	1 1/4" - 2 1/2"
Shank Diameter083 - .113
Magazine Capacity	200 - 400
Weight	5.1 lbs.
Dimensions (LWH)	14.9" x 5" x 12"



Benefits

- Maximum drive power due to further increased air volume
- Optimal control with Selectable trigger: sequential or bump
- Convenient Belt Hook
- Ambidextrous 360° rotational exhaust
- No mar work contact and drive depth adjustment



CONSTRUCTION
FLOORING

FC50-II

2" Flooring Cleat Tool

Length.....	1 $\frac{1}{2}$ " - 2"
Shank Diameter	Cleats
Magazine Capacity.....	96
Weight.....	11.2 lbs.
Dimensions (LWH).....	19.09" x 3.14" x 21.26"

Benefits

- Tool-free adjustable no mar work contact tip
- High Capacity rear load magazine
- Ergonomic handle and weight balance for ease of operation
- Redirected exhaust to keep user and work surface clean



FS1550-II

2" Flooring Staple Gun

Staple Length.....	1 $\frac{1}{2}$ " - 2"
Gauge	15 Ga.
Crown	$\frac{7}{16}$ "
Magazine Capacity.....	112
Weight.....	11.2 lbs.
Dimensions (LWH).....	19.09" x 3.14" x 21.26"

Benefits

- Tool-free adjustable no mar work contact tip
- High Capacity rear load magazine
- Ergonomic handle and weight balance for ease of operation
- Redirected exhaust to keep user and work surface clean



FS1650

2" Flooring Staple Gun

Staple Length	1 $\frac{1}{2}$ " - 2"
Gauge	16 Ga.
Crown	$\frac{7}{16}$ "
Magazine Capacity	112
Weight	11.2 lbs.
Dimensions (LWH)	19.09" x 3.14" x 21.27"



Benefits

- Ideal for tight spaces and starter rows
- Angled nose ensures perfect placement of staple on tongue and groove flooring



FS9040

19/16" Laminate Flooring Tool

Staple Length.....	1 $\frac{1}{2}$ " - 1 $\frac{9}{16}$ "
Gauge	18 Ga.
Crown	$\frac{1}{4}$ " L Series
Magazine Capacity.....	80
Weight.....	3.09 lbs.
Dimensions (LWH).....	10.31" x 3.27" x 9.6"

Benefits

- Tool-free adjustable work contact height control
- 360° Rotational exhaust
- Easy load magazine



FS9040-DLM

19/16" Laminate Flooring Tool

Staple Length.....	1 $\frac{1}{2}$ " - 1 $\frac{9}{16}$ "
Gauge	18 Ga.
Crown	$\frac{1}{4}$ " L Series
Magazine Capacity.....	160
Weight.....	3.3 lbs.
Dimensions (LWH)	19.31" x 3.27" x 9.7"

Benefits

- Tool-free adjustable work contact height control
- 360° Rotational exhaust
- Extended Capacity Easy load magazine

CONSTRUCTION

Finishing



BRAD NAILERS

STAPLERS

BN1855

2 1/8" Brad Nailer

Length $\frac{5}{8}$ " - $2\frac{1}{8}$ "
Shank Diameter 18 Ga. / 90 Degree
Magazine Capacity 100
Weight 2.5 lbs.
Dimensions (LWH) 9.38" x 2.75" x 9.75"



Benefits

- Selectable trigger mode: Sequential or Bump
- Adjustable depth adjustment with no-mar tip
- Tool-free quick clear access door to easily remove jams
- Convenient belt hook

FINISH NAILERS



FN1664

2 1/2" 16 Ga. Finish Nail Gun

Length $\frac{3}{4}$ " - $2\frac{1}{2}$ "
Shank Diameter 16 Ga. / 90°
Magazine Capacity 100
Weight 3.7 lbs.
Dimensions (LWH) 11.8" x 2.9" x 11"

Benefits

- Selectable trigger mode: Sequential or Bump
- Adjustable depth adjustment with no-mar tip
- Tool-free quick clear access door to easily remove jams
- Convenient belt hook

FN1564

2 1/2" Angled Finish Gun

Length 1" - $2\frac{1}{2}$ "
Shank Diameter 15 Ga. Senco Angled Finish
Magazine Capacity 100
Weight 4 lbs.
Dimensions (LWH) 13.7" x 3.3" x 12.3"

Benefits

- Selectable trigger mode: Sequential or Bump
- 360° rotational exhaust
- Tool-free quick clear access door to easily remove jams
- Convenient belt hook
- Two step quick load magazine



NS1840-II

18 Gauge 1/4" Crown Stapler

Staple Length $\frac{1}{2}$ " - $1\frac{9}{16}$ "
Gauge 18 Ga.
Crown $\frac{1}{4}$ " L Series
Magazine Capacity 80
Weight 2.6 lbs.
Dimensions (LWH) 10.3" x 2.2" x 9.6"




Benefits

- Selectable trigger mode: Sequential or Bump
- Adjustable depth control
- Quick load magazine

NS1840-IND

Industrial Narrow Crown Stapler

Length $\frac{1}{2}$ " - $1\frac{9}{16}$ "
Shank Diameter 18 Ga. / 1/4" Crown
Magazine Capacity 100
Weight 2.6 lbs.
Dimensions (LWH) 10.4" x 2.36" x 9.6"



Benefits


- Adjustable depth control with no mar tip
- Quick load magazine
- 360° rotational exhaust

HEADLESS PINNERS

HP2335

13/8" Headless Pinner

Length $\frac{5}{8}$ " - $1\frac{3}{8}$ "
Shank Diameter 23 Ga. / 90°
Headless Pin
Magazine Capacity 100
Weight 2.1 lbs.
Dimensions (LWH) 9.45" x 1.73" x 6.33"



Benefits

- Solid steel metal cap
- Trigger safety
- Rubber no mar tip
- High capacity easy load magazine

HP2350

2" Headless Pinner

Length 1" - 2"
Shank Diameter 22 Ga. / 90°
Headless Pin
Magazine Capacity 115
Weight 2.7 lbs.
Dimensions (LWH) 10.07" x 2.4" x 9.6"



Benefits

- Trigger safety and lock-out latch
- Rubber no mar tip
- High capacity easy load magazine

COMMERCIAL
**PALLET
CRATING**

WWW.PNEUTOOLS.NET



COIL NAILERS

CN57

2 1/4" 15° Wire Coil Nailer

Length	1" - 2 $\frac{1}{4}$ "
Shank Diameter083 - .090
Magazine Capacity.....	300-350
Weight.....	5.9 lbs.
Dimensions (LWH).....	10.5" x 5.2" x 11.22"

Benefits

- Standard bump fire trigger
- Easy load high capacity magazine
- Standard front exhaust
- Customizable magazines and automated trigger options

CN64

2 1/2" 15° Wire Pallet Coil Nailer

Length.....	1 $\frac{1}{4}$ " - 2 $\frac{1}{2}$ "
Shank Diameter090 - .113
Magazine Capacity.....	300
Weight.....	5.9 lbs.
Dimensions (LWH).....	10.59" x 5.2" x 12.44"

Benefits

- Standard bump fire trigger
- Easy load high capacity magazine
- 360° rotational exhaust
- Customizable magazines and automated trigger options



CN64-084

2 1/2" 15° Wire Pallet Coil Nailer - Narrow Head

Length	1 $\frac{1}{4}$ " - 2 $\frac{1}{2}$ "
Shank Diameter079 - .099
Magazine Capacity	300
Weight	5.9 lbs.
Dimensions (LWH)	10.59" x 5.2" x 12.44"



Benefits

- Standard bump fire trigger
- Easy load high capacity magazine
- 360° rotational exhaust
- Customizable magazines and automated trigger options
- Nose designed to accept smaller nail head

COIL NAILERS

CN70

2 3/4" 15° Wire Pallet Coil Nailer

Length	1 $\frac{3}{4}$ " - 2 $\frac{3}{4}$ "
Shank Diameter090 - .113
Magazine Capacity	250-300
Weight	7.9 lbs.
Dimensions (LWH)	13.30" x 5.1" x 12.5"



Benefits

- Standard bump fire trigger
- Easy load high capacity magazine
- Standard front exhaust
- Customizable magazines and automated trigger options

CN83

3 1/4" 15° Wire Pallet Coil Nailer

Length	1 $\frac{1}{2}$ " - 3 $\frac{1}{4}$ "
Shank Diameter090 - .131
Magazine Capacity	225-300
Weight	8.4 lbs.
Dimensions (LWH)	13.5" x 5.2" x 14.3"



Benefits

- Standard bump fire trigger
- Easy load high capacity magazine
- Standard front exhaust
- Customizable magazines and automated trigger options

CN90

3 1/2" 15° Wire Pallet Coil Nailer

Length	1 $\frac{1}{2}$ " - 3 $\frac{1}{2}$ "
Shank Diameter099 - .148
Magazine Capacity	200 - 300
Weight	7.7
Dimensions (LWH)	15.2" x 5.6" x 14.5"



Benefits

- Standard bump fire trigger
- Easy load high capacity magazine
- Standard front exhaust
- Customizable magazines and automated trigger options

CN100

4" 15° Wire Pallet Coil Nailer

Length	3" - 5 $\frac{1}{8}$ "
Shank Diameter099 - .148
Magazine Capacity	225 - 300
Weight	11.54 lbs.
Dimensions (LWH)	13.3" x 6.02" x 16.45"



Benefits

- Standard bump fire trigger
- Easy load high capacity magazine
- Metal front exhaust
- Customizable magazines and automated trigger options
- Side Handle for ease of control

CN100-II

4" 15° Wire Pallet Coil Nailer

Length	2 $\frac{1}{4}$ " - 4"
Shank Diameter099 - .131
Magazine Capacity	200-300
Weight	9 lbs.
Dimensions (LWH)	13.77" x 5.8" x 16"



Benefits

- Standard bump fire trigger
- Easy load high capacity magazine
- 360° rotational metal exhaust
- Customizable magazines and automated trigger options
- Lighter weight frame design for easier operation

CN130

5 1/8" 15° Wire Pallet Coil Nailer

Length	3" - 5 $\frac{1}{8}$ "
Shank Diameter120 - .148
Magazine Capacity	120-225
Weight	12.7 lbs.
Dimensions (LWH)	13.3" x 5.19" x 18.81"



Benefits

- Standard bump fire trigger
- Easy load high capacity magazine
- Metal front exhaust
- Customizable magazines and automated trigger options
- Side Handle for maximum control

STRIP NAILERS



SN22130

5 1/8" 22° Plastic Collated Strip Nailer

Length.....	3 1/2" - 5 1/8"
Shank Diameter149 -.165
Magazine Capacity.....	54
Weight.....	13.45 lbs.
Dimensions (LWH).....	20.59" x 6.89" x 18.81"

Benefits

- Sequential Fire Trigger
- Adjustable depth control
- Metal front exhaust
- Side handle for maximum control

SN22160

6 1/4" 22° Plastic Collated Spike Nailer

Length.....	4" - 6 1/4"
Shank Diameter149 -.181
Magazine Capacity.....	54
Weight.....	15.15 lbs.
Dimensions (LWH).....	22.36" x 6.89" x 21.18"

Benefits

- Sequential Fire Trigger
- Adjustable depth control
- Metal front exhaust
- Side handle for maximum control

STAPLERS



MS1650

2" Medium Crown Staple Gun

Staple Length.....	3/4" - 2"
Gauge	16 Ga.
Crown	7/16" N Series
Magazine Capacity.....	140
Weight.....	4.5 lbs.
Dimensions (LWH).....	14.4" x 3.1" x 10.6"

Benefits

- Standard bump fire trigger
- Adjustable depth control
- Tool-free quick clear access door to easily remove jams
- Metal exhaust cap



MS1650P

2" Medium Crown Staple Gun

Staple Length	3/4" - 2"
Gauge	16 Ga.
Crown	1/2" GS Series
Magazine Capacity	140
Weight	4.5 lbs.
Dimensions (LWH)	14.4" x 3.1" x 10.6"

Benefits

- Standard bump fire trigger
- Adjustable depth control
- Tool-free quick clear access door to easily remove jams
- Metal exhaust cap



MS1650B

2" Medium Crown Staple Gun

Staple Length	3/4" - 2"
Gauge	16 Ga.
Crown	1/2" Bostitch Crown
Magazine Capacity	140
Weight	5.7 lbs.
Dimensions (LWH)	14.4" x 3.9" x 13.3"

Benefits

- Standard bump fire trigger
- Adjustable depth control
- Tool-free quick clear access door to easily remove jams
- Metal exhaust cap



MS1565

2 1/2" Medium Crown Staple Gun

Staple Length	1 1/4" - 2 1/2"
Gauge	15 Ga.
Crown	7/16" Q Series
Magazine Capacity	120
Weight	5.7 lbs.
Dimensions (LWH)	14.4" x 3.9" x 13.3"

Benefits


- Selectable trigger mode: bump or sequential
- Adjustable depth control
- Tool-free quick clear access door to easily remove jams
- 360° rotational exhaust

COMMERCIAL
INDUSTRIAL
MANUFACTURING

WWW.PNEUTOOLS.NET



HEADLESS PINNERS



HP2335

13/8" Headless Pinner

Length.....	5/8" - 1 3/8"
Shank Diameter	23 Ga. / 90° Headless Pin
Magazine Capacity.....	100
Weight.....	2 lbs.
Dimensions (LWH).....	9.45" x 1.73" x 6.33"

Benefits

- Solid steel metal cap
- Trigger safety
- Rubber no mar tip
- High capacity easy load magazine

HP2350

2" Headless Pinner

Length.....	1" - 2"
Shank Diameter	22 Ga. / 90° Headles Pin
Magazine Capacity.....	115
Weight.....	2.7
Dimensions (LWH).....	10.07" x 2.4" x 9.6"

Benefits

- Trigger safety and lock-out latch
- Rubber no mar tip
- High capacity easy load magazine

UPHOLSTERY STAPLERS

US7116

71 Series Upholstery Stapler

Staple Length.....	5/32" - 9/16"
Gauge	22 Ga.
Crown	71 Series
Magazine Capacity.....	115
Weight.....	2 lbs.
Dimensions (LWH).....	9.37" x 1.65" x 5.98"

Benefits


- Durable heavy duty steel cap
- Balanced ergonomic design
- Easy load magazine



USL7116

71 Series Long Nose Upholstery Stapler

Staple Length	5/32" - 9/16"
Gauge22 Ga.
Crown	71 Series
Magazine Capacity	185
Weight	2.7 lbs.
Dimensions (LWH)	9.37" x 165" x 7.98"




Benefits

- Extra long nose convenient for hard to reach areas
- Durable heavy duty steel cap
- Balanced ergonomic design
- Easy load magazine

US8016

1/2" Crown 80 Flat Wire Upholstery Tool

Staple Length	1/4" - 9/16"
Gauge20 Ga.
Crown	1/2" - 80 Flat Wire
Magazine Capacity	102
Weight	18 lbs.
Dimensions (LWH)	9.3" x 16" x 6"



Benefits

- Durable heavy duty steel cap
- Adjustable speed control
- Balanced ergonomic design
- High capacity easy load magazine

US1116LMA

A11/T50 Series Automatic Upholstery Stapler

Staple Length	1/4" - 9/16"
Gauge20 Ga.
Crown	A11 / T50
Magazine Capacity	230
Weight	3 lbs.
Dimensions (LWH)	15" x 16" x 6.4"



Benefits

- Durable heavy duty steel cap
- Adjustable speed control
- Balanced ergonomic design
- High capacity easy load magazine

UPHOLSTERY STAPLERS

INDUSTRIAL STAPLERS

US7116LMA

71 Series Automatic Upholstery Stapler

Staple Length.....	$\frac{5}{32}$ " - $\frac{9}{16}$ "
Gauge	22 Ga.
Crown	71 Series
Magazine Capacity.....	230
Weight.....	3 lbs.
Dimensions (LWH).....	15" x 1.6" x 6.4"

Benefits

- Durable heavy duty steel cap
- Adjustable speed control
- Balanced ergonomic design
- High capacity easy load magazine



US5016LMA

5000 Series Automatic Upholstery Stapler

Staple Length.....	$\frac{1}{4}$ " - $\frac{9}{16}$ "
Gauge	16 Ga.
Crown	5000 Series
Magazine Capacity.....	230
Weight.....	3 lbs.
Dimensions (LWH).....	15" x 1.6" x 6.4"

Benefits

- Durable heavy duty steel cap
- Adjustable speed control
- Balanced ergonomic design
- High capacity easy load magazine



US8016LMA

80 Series Automatic Upholstery Stapler

Staple Length	$\frac{1}{4}$ " - $\frac{9}{16}$ "
Gauge	20 Ga.
Crown	F or 80 Series
Magazine Capacity	204
Weight	3 lbs.
Dimensions (LWH)	15" x 16" x 6.4"



Benefits

- Durable heavy duty steel cap
- Adjustable speed control
- Balanced ergonomic design
- High capacity easy load magazine


NS1840-IND

Industrial Narrow Crown Stapler

Staple Length.....	$\frac{1}{2}$ " - $1\frac{9}{16}$ "
Gauge	18 Ga.
Crown	$\frac{1}{4}$ "
Magazine Capacity.....	100
Weight.....	2.6 lbs.
Dimensions (LWH).....	10.4" x 2.36" x 9.96"

Benefits


- Adjustable depth control with no mar tip
- Quick load magazine
- 360° rotational exhaust



MS9225

1" Medium Crown Stapler

Staple Length	$\frac{3}{8}$ " - 1"
Gauge	18 Ga.
Crown92 Series
Magazine Capacity	105
Weight	2.6 lbs.
Dimensions (LWH)	8.82" x 2" x 6.6"



Benefits

- Ergonomically designed body for ease of handling and increased comfort
- Adjustable rear exhaust directs oil and dust away from work surface
- High durability driver blade
- Increased cylinder volume increases power for hardwood

MS9240

19/18" Medium Crown Stapler

Staple Length	$\frac{5}{8}$ " - $1\frac{9}{16}$ "
Gauge	18 Ga.
Crown92 Series
Magazine Capacity	160
Weight	4.2 lbs.
Dimensions (LWH)	12.1" x 3" x 10.8"



Benefits

- Standard bump fire trigger
- Adjustable depth control
- Tool-free quick clear access door to easily remove jams
- 360° rotational exhaust
- Rubber no mar tip

WS1638S

11/2" Wide Crown Stapler

Staple Length	$\frac{3}{4}$ " - $1\frac{1}{2}$ "
Gauge	16 Ga.
Crown	1".P Series
Magazine Capacity	140
Weight	5.3 lbs.
Dimensions (LWH)	14.4" x 3.9" x 12.3"



Benefits

- Standard bump fire trigger
- Adjustable depth control
- Tool-free quick clear access door to easily remove jams
- Metal exhaust cap

INDUSTRIAL STAPLERS

WS1638P

2 1/2" Wide Crown Stapler

Staple Length.....	$\frac{3}{4}$ " - $1\frac{1}{2}$ "
Gauge	16 Ga.
Crown	$\frac{15}{16}$ " GSW Series
Magazine Capacity.....	140
Weight.....	5.3 lbs.
Dimensions (LWH).....	14.4" x 3.9" x 12.4"

Benefits

- Standard bump fire trigger
- Adjustable depth control
- Tool-free quick clear access door to easily remove jams
- Metal exhaust cap



WS1638B

1 1/2" Wide Crown Stapler

Staple Length.....	$\frac{3}{4}$ " - $1\frac{1}{2}$ "
Gauge	16 Ga.
Crown	1" Bostich Crown
Magazine Capacity.....	140
Weight.....	5.3 lbs.
Dimensions (LWH).....	14.4" x 3.9" x 12.3"

Benefits


- Standard bump fire trigger
- Adjustable depth control
- Tool-free quick clear access door to easily remove jams
- Metal exhaust cap



WS1650B

2" Wide Crown Stapler

Staple Length	$\frac{3}{4}$ " - 2"
Gauge	16 Ga.
Crown	1" Bostich Crown
Magazine Capacity.....	140
Weight.....	5.7 lbs.
Dimensions (LWH).....	14.4" x 3.9" x 13.3"



Benefits

- Standard bump fire trigger
- Adjustable depth control
- Tool-free quick clear access door to easily remove jams
- Metal exhaust cap

MINI COIL NAILERS

CN32

0° Plastic Collated Coil Nailer

Length	$\frac{5}{8}$ " - $1\frac{1}{4}$ "
Shank Diameter058 - .083
Magazine Capacity	150-188
Weight	2.49 lbs.
Dimensions (LWH)	10.09" x 3.85" x 8.3"



Benefits

- Selectable trigger mode: bump or sequential
- Adjustable depth control
- No mar work contacting element
- Clear "see through" magazine

CN38

15° Wire or Plastic Coil Nailer

Length	$1\frac{1}{2}$ "
Shank Diameter058 - .083
Magazine Capacity	200-400
Weight	2.6 lbs.
Dimensions (LWH)	10.35" x 4.25" x 10"



Benefits

- Selectable trigger mode: bump or sequential
- Adjustable depth control
- 360° rotational exhaust
- No mar work contacting element

CN50

15° Wire or Plastic Coil Nailer

Length	$1\frac{1}{2}$ " - 2"
Shank Diameter058 - .083
Magazine Capacity	200-400
Weight	3.3 lbs.
Dimensions (LWH)	10.15" x 4.25" x 10.18"



Benefits

- Single fire bump trigger
- Adjustable depth control
- 360° rotational exhaust
- No mar work contacting element

SPECIALTY FASTENERS

CF16

Corrugated Fastener Tool

Length	$\frac{3}{8}$ ", $\frac{1}{2}$ ", $\frac{5}{8}$ "
Shank Diameter	Honeycomb Style
Magazine Capacity	46
Weight51 lbs.
Dimensions (LWH)	11.8" x 3.2" x 11.0"



Benefits

- Selectable trigger mode: bump or sequential
- Self Adjusting magazine
- 360° rotational exhaust
- Easy load magazine

TN65

2 1/2" Industrial "T" Nailer

Length	$1\frac{1}{4}$ " - $2\frac{1}{2}$ "
Shank Diameter090 - .113
Magazine Capacity	70
Weight	6.26 lbs.
Dimensions (LWH)	12.6" x 3.66" x 11.14"



Benefits

- Low Fastener alert window to help prevent dry fire damage
- 360° Rotational exhaust
- High capacity side load magazine

FASTENERS

POSITIVE PLACEMENT NAILS

PART NUMBER	DESCRIPTION			COATING	CTN. QTY. M	CTN./PALLET	WGT./CTN.
BRITE							
922410	1-1/2"	X	.131	PLAIN	2M	100	12
922400	1-1/2"	X	.148	PLAIN	2M	100	15
922420	2-1/2"	X	.148	PLAIN	1.5M	100	18
922430	2-1/2"	X	.162	PLAIN	1.2M	100	20
HOT DIPPED GALVANIZED - MEETS ACQ MANUFACTURERS RECOMMENDATIONS							
922415	1-1/2"	X	.131	HOT DIP	2M	100	12.5
922405	1-1/2"	X	.148	HOT DIP	2M	100	15.5
922425	2-1/2"	X	.148	HOT DIP	1.5M	100	18.5
922435	2-1/2"	X	.162	HOT DIP	1.2M	100	20.5
STAINLESS STEEL #304							
922413	1-1/2"	X	.131	304 STAINLESS	2M	100	12
922403	1-1/2"	X	.148	304 STAINLESS	2M	100	15
922423	2-1/2"	X	.148	304 STAINLESS	1.5M	100	18
OTHER SIZES AVAILABLE... CALL FOR PRICES							

CAPS AND STAPLES

PART NUMBER	DESCRIPTION	COLLATION	CTN. QTY. M	CTN./PALLET	WGT./CTN.
RAP-A-CAP 58 STACK-PAK					
922150	5/8" STACK PAK	LASER WELD	2	192	3.6
RAP-A-CAP 150 II STACK-PAK					
922160	1" STACK PAK	LASER WELD	2	192	4
922161	1-1/2" STACK PAK	LASER WELD	2	192	5
RAP-A-CAP 150 STACK-PAK					
922140	1" STACK PAK	STRING	2	192	5
922141	1-1/2" STACK PAK	STRING	2	192	6
RAP-A-CAP 200 STACK-PAK					
922131	1-1/4" STACK PAK	LASER WELD	2.1	100	7.1
922132	2" STACK PAK	LASER WELD	2.1	100	10.6

CALL FOR AVAILABILITY



MEMBER SINCE 1999



PNEUTOOLS, INC.,
11530 GULF STREAM, ARLINGTON, TN 38002
WWW.PNEUTOOLS.NET • 901-385-9660